GENERAL NOTES

- A. ALL ELEVATION HEIGHTS INDICATED ARE FROM 0'-0" ABOVE FINISH FLOOR. B. REFER ALSO TO ROOF PLAN FOR ELEVATION HEIGHTS AND ADDITIONAL INFORMATION.
- C. VERIFY MOUNTING OF ALL LIGHT FIXTURES WITH BOTH ARCHITECTURAL AND ELECTRICAL DRAWINGS D. ALL EXPOSED CMU BLOCK OR BRICK TO BE DECORATIVE. REFER TO CIVIL DRAWINGS FOR FINISH GRADE INFORMATION. GRAY OR NON-MATCHING BLOCK NOT BE VISIBLE ABOVE FINISH GRADE. . UNDERLAYMENT, WATERPRROFING TO BE REMOVED AND REPLACED. ROOF SHEATHING TO BE
- REPAIRED AS NECESSARY. ALL DOORS AND WINDOWS ON THE EXTERIOR PERIMITER TO REMAIN U.N.O. FRAMES AND MULLIONS TO BE CLEANED, RE-SEALED AND PAINTED.
- G. ALL EXISTING MATERIALS THAT ARE TO REMAIN WILL BE CLEANED AND RE-FINISHED/PAINTED. ALL OPENINGS AND TRANSITIONS OF MATERIALS TO BE RE-SEALED AND/OR CAULKED PRIOR TO
- I. ALL DIMENSIONS ARE TO FACE OF STUDS AND MASONARY WALLS, U.N.O. CLEAR DIMENSIONS ARE TO
- FACE OF FINISH. ALL DIMENSIONS SHOWN ON THIS PLAN TAKE PRECEDENCE OVER ANY OTHER PLANS. NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO EXECUTION OF WORK.
- IN AREAS WITH FLOOR DRAINS, MAINTAIN FLOOR ELEVATION AT WALLS, PITCH FLOOR SURFACE
- UNIFORMLY TO DRAINS AT 1/8" / FT. NOMINAL. NOT TO EXCEED 1/4" PER FOOT. . VERIFY AND COORDINATE LOCATIONS OF ALL FLOOR DRAINS AND FLOOR SINKS WITH EQUIPMENT PRIOR TO POUR, REFER TO PLUMBING DRAWINGS.
- CONTRACTOR SHALL CHECK AND VERIFY SIZE AND LOCATION OF DUCT OPENINGS AND PLUMBING RUNS WITH MECHANICAL AND PLUMBING DRAWINGS BEFORE FRAMING WALLS, ROOF, ETC. NOTIFY
- ARCHITECT OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- M. REFER TO ELECTRICAL DRAWINGS AND SPECIFICATIONS FOR LOCATION OF TELEPHONE BOARD,
- ELECTRICAL PANELS, ETC. PROVIDE REQUIRED BACKING IN WALL AND SUPPORT. N. COORDINATE ARCHITECTURAL DIMENSIONS WITH STRUCTURAL FOUNDATION PLAN DIMENSIONS. NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO EXECUTION OF WORK.
- O. REFER TO MECHANICAL DRAWINGS FOR MECHANICAL EQUIPMENT. P. ALL PLUMBING FIXTURES AND ACCESSORIES SIZE AND MOUNTING HEIGHT SHALL COMPLY WITH THE AMERICANS WITH DISABILITIES ACT (A.D.A) AND AMERICAN NATIONAL STANDARDS INSTITUTE (A.N.S.I.)
- Q. REFER TO ACCESSIBILITY REQUIREMENTS ON SHEET G1.02 FOR ALL REQUIRED DIMENSIONS.
- COORDINATE WITH A.D.A, A.N.S.I AND ALL APPLICABLE CODE REQUIREMENTS. . CONTRACTOR TO PROVIDE IN WALL SUPPORT FOR ACCESSORY MOUNTING PER MANUFACTURERS
- SPECIFICATIONS. S. GRAB BAR AND SUPPORT SHALL RESIST 250 LBS. AND SHALL COMPLY WITH ALL A.D.A., A.N.S.I. AND ALL APPLICABLE CODE REQUIREMENTS.
- ALL INFORMATION SHOWN ON THIS SHEET APPLIES THROUGHOUT THE CONSTRUCTION DOCUMENTS. SHOULD A DISCREPANCY EXIST BETWEEN THE INFORMATION SHOWN ON THIS SHEET AND ANOTHER
- SHEET, NOTIFY THE ARCHITECT IN WRITING PRIOR TO THE COMMENCEMENT OF WORK. PROVIDE F.R.P. ON WALLS ADJACENT TO MOP SINK IN JANITORS CLOSET FROM F.F. TO 6'-0" A.F.F. AND 4'-0" BEYOND EACH SIDE OF MOP SINK. PROVIDE MOISTURE RESISTANT SUBSTRATE ON ALL WALLS OF
- PROVIDE BACKING IN WALLS FOR ALL WALL HUNG FIXTURES AND EQUIPMENT. W. SEE TENANT NARRATIVES FOR VANILLA AND GREY SHELL DESCRIPTIONS.


K. REFER TO FINISH LEGEND A8.01 FOR FINISHES

ELEVATION KEYNOTES

NO. DESCRIPTION

- CMU. PAINT WITH PT-1
- 2. DOOR AND FRAME . SEE DOOR SCHEDULE WINDOW AND FRAME . SEE WINDOW SCHEDULE.
- DECORATIVE GATE. PAINTED. PT-1.
- MECHANICAL EQUIPMENT. REFER TO MECHANICAL DRAWINGS. 14'-0" WIDE X 6'-0" HIGH MAN GATE
- TRASH ENCLOSURE GATE. PAINTED. PT-1
- MECHANICAL/EQUIPMENT CONCRETE PAD. 9. OUTDOOR ROOFTOP PATIO CANOPY3.
- 10. GUARDRAIL. PAINT
- 11. COLUMN STEEL SEE STRUCT 12. METAL AWNING WITH FABRIC COVERING
- 13. GRAIN SILO SEE STRUCT. FOR ADDITONAL NOTES AND INFO 14. SMOOTH STUCCO FINISH PAINTED

KLA C ASINO EXTERIOR S 1503



PERMIT PLAN

06/23/2023

____SHEET NUMBER:_